

Health Information System

Organisation: _____

9.0 Reproductive Health

Location: _____

Reporting pad



Health Information System

Organisation: _____

Reporting Form

Location: _____

9.0 Reproductive Health

Reporting period: _____

9.1 Antenatal Care

9.1a

	Refugee		National	
	< 18	≥ 18	< 18	≥ 18
First antenatal visit < 1st trimester				
First antenatal visit > 1st trimester				
Repeat antenatal visit				
Number of syphilis tests conducted				
Number of syphilis tests positive				
Number of contacts of syphilis positive cases treated				
Number of high-risk pregnancies detected				
Number of abortions				

9.1b *Enter number of pregnant women at time of delivery who:*

	Refugee		National	
	< 18	≥ 18	< 18	≥ 18
Received 4 or more antenatal visits				
Received 2 doses of tetanus toxoid during antenatal period				
Received at least 2 doses of fansidar during antenatal period				
Were screened for syphilis during antenatal period				
Received 1 dose of mebendazole during antenatal period				
Received 1 ITN* during antenatal period				

9.2 Delivery Care

	Refugee				National	
	< 18		≥ 18		< 18	≥ 18
	Home	Health Facility	Home	Health Facility		
Live births						
Still births						
Low Birth Weight (< 2500g)						
Attended by a skilled health worker**						
Number of obstetric complications treated						
Number of caesarean sections performed						

* ITN = Insecticide Treated Net

** excluding TBA

9.3 Postnatal Care

	Refugee		National	
	< 18	≥ 18	< 18	≥ 18
Attended for 3 postnatal visits within 6 weeks of delivery				

9.4 Family Planning (see separate reporting pad)

9.5 Sexual and Gender Based Violence (SGBV)

	Refugee				National
	< 18		≥ 18		
	Male	Female	Male	Female	
Total no. of rape survivors seen within 72 hours*					
Total no. of rape survivors seen within 72 - 120 hours*					
Total no. of rape survivors seen within 120 hours - 2 weeks*					
Total no. of rape survivors seen after 2 weeks*					
No. rape survivors given PEP** within 72 hrs					
No. female rape survivors given ECP*** within 120 hrs					
No. rape survivors given STI presumptive treatment < 2 wks					
No. cases of trauma in health post due to domestic violence					

* of an incident occurring; ** PEP = Post Exposure Prophylaxis; *** ECP = Emergency Contraceptive Pill