

Health Information System v0.9.30

Monthly Reporting Form

1.1 General Information

Name of Organisation	<input type="text" value="Select Name"/>	Current Month	<input type="text" value="Select Month"/>
Name of Camp	<input type="text" value="Select Camp"/>	Current Year	<input type="text" value="Select Year"/>

1.2 Population

Age	Male	Female	Total
Total Population			0
Number of live births			0
Number of infants < 1 year			0
Number of children < 5 years			0
Number of females 15 - 49 years		0	
Number of pregnant and lactating		0	

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

2.0 Mortality

2.1 Mortality by Age

Age	Refugee				Total Crude	National		Total Crude
	< 1	≥ 1 to < 5	Total < 5	≥ 5		< 5	≥ 5	
Male			0		0			0
Female			0		0			0
Total	0	0	0	0	0	0	0	0

2.2 Mortality by Cause

Cause	Refugee						Total Crude	Crude % Mort.	National		Total Crude
	< 5		Total < 5	U5 % Mort.	≥ 5				< 5	≥ 5	
	Male	Female			Male	Female					
Malaria			0				0				0
ARI			0				0				0
Watery diarrhoea			0				0				0
Bloody diarrhoea			0				0				0
Tuberculosis			0				0				0
Measles			0				0				0
Meningitis			0				0				0
AIDS			0				0				0
Maternal death							0				0
Neonatal death			0				0				0
Acute malnutrition			0				0				0
Other			0				0				0
Total	0	0	0		0	0	0		0	0	0

Mortality Indicators	Male	Female	Total
Crude Mortality Rate (CMR)			
Under 5 Mortality Rate (U5MR)			
Infant Mortality Rate (IMR)			
Neonatal Mortality Rate (NNMR)			
Maternal Mortality Ratio (MMR)			

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

3.0 Morbidity

3.1 Consultation

Type	Refugee		Nat	Total
	M	F		
New Visits				0
Revisits				0
Total	0	0	0	0

Consultation Indicators	
Number of full-time trained clinicians	
Number of full days OPD functioning	
Health facility utilisation rate	
Consultations per clinician per day	
Proportion of consultations to Nationals	

3.2 Morbidity

Diagnosis	< 5		Total < 5	Refugee		Total Crude	Crude Incid.	Crude % Morb.	National		Total Crude
	M	F		U5 Incid.	U5 % Morb.				< 5	≥ 5	
URT			0			0					0
LRT			0			0					0
* Watery diarrhoea			0			0					0
* Bloody diarrhoea			0			0					0
Skin disease			0			0					0
Eye Disease			0			0					0
Intestinal worms			0			0					0
* Malaria (confirmed)			0			0					0
* Malaria (suspected)			0			0					0
Tuberculosis			0			0					0
Leprosy			0			0					0
* Acute Flaccid Paralysis / Polio			0			0					0
* Measles			0			0					0
* Meningitis			0			0					0
HIV/AIDS			0			0					0
** STI (non-HIV/AIDS)			0			0					0
Acute malnutrition			0			0					0
Anaemia			0			0					0
*** Injuries			0			0					0
Dental			0			0					0
Gastritis			0			0					0
Surgical			0			0					0
Gynaecological			0			0					0
Hypertension			0			0					0
Diabetes			0			0					0
Mental illness			0			0					0
Other			0			0					0
Total	0	0	0			0			0	0	0

* Disease with outbreak potential. Refer to weekly alert thresholds

** Also enter information on syndromic diagnosis; < 18 / ≥ 18 age group; and treatment of contacts in STI table 3.4

*** Includes SGBV. Ensure incident report form has been completed each case

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

3.3 Outbreak Alert and Response

Number of outbreaks reported	
Number of reported outbreaks investigated < 48 hours	
Prop of reported outbreaks investigated < 48 hours****	

**** Attach outbreak investigation report(s)

3.4 Sexually Transmitted Infection (STI)

Syndromic Diagnosis	< 18		Total < 18	≥ 18		Total Crude	C'tact treatd	Nat
	M	F		M	F			
Urethral Discharge Syndrome (UDS)			0			0		
Vaginal Discharge Syndrome (VDS)			0			0		
Genital Ulcer Disease (GUD)			0			0		
Pelvic Inflammatory Disease (PID)			0			0		
Ophthalmia Neonatorum			0			0		
Congenital syphilis			0			0		
Others			0			0		
Total	0	0	0	0	0	0	0	0

STI Indicators

Incidence of male Urethral Discharge Syndrome (UDS)	
Incidence of Genital Ulcer Disease (GUD)	
Proportion of syndromic STI cases among under 18s	
Proportion of syndromic STI cases among Nationals	
Ratio of contacts treated : syndromic STI cases	

3.5 Dehydration

Dehydration status	Refugee		Total	Nat
	M	F		
No dehydration			0	
Some dehydration			0	
Severe dehydration			0	
Total	0	0	0	0

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

4.0 In-patient Department and Referral

4.1 In-patient Department Activities

		Refugee			National		
		< 5	≥ 5	Total	< 5	≥ 5	Total
Number of patients in ward at beginning of month				0			0
Number of admissions this month				0			0
Number of discharges	authorized			0			0
	unauthorised			0			0
	death			0			0
	referral			0			0
Total discharged		0	0	0	0	0	0
Deaths within 24 hours				0			0
Number of patients in ward at end of month		0	0	0	0	0	0

IPD Indicators	
Number of days in reporting period	
Number of beds	
Sum number of days stay for authorized discharges	
Proportion of under five IPD deaths within 24 hours	
Average length of stay	
Bed occupancy	
Hospitalisation rate	
Proportion of admissions to Nationals	

4.2 In-patient Admissions and Deaths

Diagnosis	Refugee						Crude % Mort.	National				Total Adm.	Total Deaths
	< 5		U5 % Mort.	≥ 5		< 5		≥ 5					
	Adm.	Deaths		Adm.	Deaths	Adm.		Deaths	Adm.	Deaths			
Malaria						0	0					0	0
ARI						0	0					0	0
Watery diarrhoea						0	0					0	0
Bloody diarrhoea						0	0					0	0
Tuberculosis						0	0					0	0
Measles						0	0					0	0
Meningitis						0	0					0	0
HIV/AIDS						0	0					0	0
Acute malnutrition						0	0					0	0
Other						0	0					0	0
Total	0	0		0	0	0	0	0	0	0	0	0	0

Adm. = Admission; CFR = Case Fatality Rate

4.3 Referral

Location	Emerg.	Dist.	Reg.	Zonal	Nat.	Other	Total
Obstetrics / Gynaecology							0
Surgery							0
Pediatrics							0
Internal medicine							0
Blood transfusion							0
Other							0
Total Referrals	0	0	0	0	0	0	0
Referral rate							

Emerg. = Emergency Unit; Dist. = District Hospital; Reg. = Regional Hospital; Nat. = National Hospital

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

5.0 Laboratory

5.1 Malaria

Number of malaria slides examined	
Number of malaria slides positive	

Malaria Indicator

Malaria slide positivity rate	
-------------------------------	--

5.2

Tuberculosis

Number of smears examined for AFB	
Number of smears positive for AFB	
Number of new smear-positive patients	

Tuberculosis Indicator

Sputum smear-positivity rate	
------------------------------	--

5.3 Blood Donation

	Refugee		Total	National		Total
	Male	Female		Male	Female	
Number tested for HIV			0			0
Number tested positive for HIV			0			0

Blood Donation Indicator

Prevalence of HIV in blood donors	
-----------------------------------	--

5.4 RPR Testing (OPD)

	Refugee		Total	National		Total
	Male	Female		Male	Female	
Number tested for RPR			0			0
Number tested positive for RPR			0			0
Number of RPR positive contacts tested			0			0

RPR Indicators

Prevalence of syphilis (OPD)	
Prevalence of syphilis among Nationals (OPD)	
Ratio of contacts tested : RPR positive cases	

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

6.0 Disease Control

6.1 Tuberculosis Program

		< 5		≥ 5		Total
		Male	Female	Male	Female	
Number of patients under treatment at beginning of month						0
Number of new TB cases in program						0
Number of discharges	treatment success					0
	treatment failure					0
	death					0
	default					0
	transfer out					0
Number of patients under treatment at end of month		0	0	0	0	0

6.2 Leprosy Program

		< 5		≥ 5		Total
		Male	Female	Male	Female	
Number of patients under treatment at beginning of month						0
Number of new Leprosy cases in program						0
Number of discharges	treatment success					0
	treatment failure					0
	death					0
	default					0
	transfer out					0
Number of patients under treatment at end of month		0	0	0	0	0

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

7.0 EPI and Vitamin A**7.1 Children Vaccinated**

Doses administered	Refugee		Total	Nat
	< 1	≥ 1 to < 5		
BCG			0	
Polio 0			0	
Polio I			0	
Polio II			0	
Polio III			0	
DPT I			0	
DPT II			0	
DPT III			0	
Measles			0	
Fully Vaccinated			0	

EPI Indicators		
Target Population for the month		0
Program dropout rate		
Vaccine coverage rate	BCG	
	Polio	
	DPT	
	Measles	
	Fully Vacc.	

7.2 Vaccine Wastage

Vaccine	No. of doses supplied	No. of doses administered
BCG		0
Polio		0
DPT		0
Measles		0
Tetanus Toxoid		0

Vaccine wastage rate	
BCG	
Polio	
DPT	
Measles	
Tetanus Toxoid	

7.3 Vitamin A distribution

Doses distributed	Refugee	Nat	Total
Post natal			0
Dose 1			0
Dose 2			0
Dose 3			0
Dose 4 + above			0

Vitamin A indicator	
Coverage of postnatal Vitamin A distribution	

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

7.4 Tetanus Toxoid utilisation

Doses administered	Refugee			Nat	Total
	Pregnant	Non-Preg.	Other		
TT 1					0
TT 2					0
TT 3					0
TT 4					0
TT 5					0

7.5 Growth Monitoring

Number of children screened	< 1	≥ 1 to < 5	Total
Weight for age > 80%			0
Weight for age 60 - 80%			0
Weight for age < 60%			0
Oedema			0
Total screened	0	0	0

Growth Monitoring Indicator

Coverage of Growth Monitoring

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

8.0 Nutrition

8.1 Supplementary Feeding Program

		Refugee							National						
		< 5		≥ 5		Total	Preg.	Lact.	< 5		≥ 5		Total	Preg.	Lact.
		M	F	M	F				M	F	M	F			
Number at beginning of month	WFH <80% or <-2 ZS					0							0		
	Other					0							0		
Number of new admissions	WFH <80% or <-2 ZS					0							0		
	Anaemia					0							0		
	HIV/AIDS					0							0		
	TB					0							0		
	TFP referral					0							0		
	Other					0							0		
Number of re-admissions	WFH <80% or <-2 ZS					0							0		
	Other					0							0		
Total admissions	WFH <80% or <-2 ZS	0	0	0	0	0			0	0	0	0	0		
	Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number of exits (< -2 WFH Z-score)	discharge					0							0		
	death					0							0		
	default					0							0		
	referral					0							0		
Number of exits (Other)	discharge					0							0		
	death					0							0		
	default					0							0		
	referral					0							0		
Total exits	WFH <80% or <-2 ZS	0	0	0	0	0			0	0	0	0	0		
	Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number at end of month	WFH <80% or <-2 ZS	0	0	0	0	0			0	0	0	0	0		
	Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

Supplementary Feeding Program (SFP) Indicators

WFH <80% or <-2 ZS

Sum no. of days stay for discharged children (<5)	
Mean length of stay (< 5)	

Performance Indicators (< 5)	Ref	Nat
Recovery rate		
Death rate		
Default rate		

Coverage

Moderate Acute Malnutrition Rate (%)	
Target Population for SFP (<5)	0
Coverage of SFP (< 5)	
Coverage of SFP (Preg. and Lact.)	

Prop. of new admissions due to HIV/AIDS	
Proportion of new admissions due to TB	
Prop. of new moderate maln. cases who are girls < 5	
Prop. of all beneficiaries who are National	

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

8.2 Therapeutic Feeding Program

		Refugee					National					TFP TOTAL
		< 5		≥ 5		Total	< 5		≥ 5		Total	
		M	F	M	F		M	F	M	F		
Number at beginning of month	WFH <70% or <-3 ZS					0					0	0
	Kwashiorkor					0					0	0
	Other					0					0	0
Number of new admissions	WFH <70% or <-3 ZS					0					0	0
	Kwashiorkor					0					0	0
	Other					0					0	0
Number of re-admissions	WFH <70% or <-3 ZS					0					0	0
	Kwashiorkor					0					0	0
	Other					0					0	0
Total admissions	WFH <70% or <-3 ZS	0	0	0	0	0	0	0	0	0	0	0
	Kwashiorkor	0	0	0	0	0	0	0	0	0	0	0
	Other	0	0	0	0	0	0	0	0	0	0	0
Number of exits (WFH <70% or <-3 ZS)	discharge					0					0	0
	death					0					0	0
	default					0					0	0
	referral					0					0	0
Number of exits (Kwashiorkor)	discharge					0					0	0
	death					0					0	0
	default					0					0	0
	referral					0					0	0
Number of exits (Other)	discharge					0					0	0
	death					0					0	0
	default					0					0	0
	referral					0					0	0
Total exits	WFH <70% or <-3 ZS	0	0	0	0	0	0	0	0	0	0	0
	Kwashiorkor	0	0	0	0	0	0	0	0	0	0	0
	Other	0	0	0	0	0	0	0	0	0	0	0
Number at end of month	WFH <70% or <-3 ZS	0	0	0	0	0	0	0	0	0	0	0
	Kwashiorkor	0	0	0	0	0	0	0	0	0	0	0
	Other	0	0	0	0	0	0	0	0	0	0	0

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

Therapeutic Feeding Program (TFP) Indicators

WFH <70% or <3 ZS

Sum no. of days stay for discharged children (<5)	
Sum average wt. gain for discharged children (<5)	
Mean length of stay (< 5)	
Average weight gain (g / kg / day)	

Performance Indicators (< 5)	Ref	Nat
Recovery rate		
Death rate		
Default rate		

Kwashiorkor

Sum no. of days stay for discharged children (<5)	
Sum average wt. gain for discharged children (<5)	
Mean length of stay (< 5)	
Average weight gain (g / kg / day)	

Performance Indicators (< 5)	Ref	Nat
Recovery rate		
Death rate		
Default rate		

Coverage

Severe Acute Malnutrition Rate (%)	
Target Population for TFP (<5)	0
Coverage of TFP (< 5)	

Proportion of new admissions to Kwashiorkor	
Proportion of new admissions due to 'Other'	
Prop. of new severe maln. cases who are girls < 5	
Prop. of all beneficiaries who are National	

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

9.0 Reproductive Health**9.1 Antenatal Care**

Number of antenatal visits	< 18	≥ 18	Total	Nat
First antenatal visit < 16 weeks			0	
First antenatal visit > 16 weeks			0	
Repeat antenatal visit			0	
Number of RPR tests conducted			0	
Number of RPR tests positive			0	
Number of contacts of RPR positive cases treated				
Number of high-risk pregnancies detected			0	
Treated for complications of abortion			0	

Number of pregnant women at time of delivery who:	< 18	≥ 18	Total
Received 3 or more antenatal visits			0
Received 2 doses of tetanus toxoid during antenatal period			0
Received at least 2 doses of fansidar during antenatal period			0
Were screened for syphilis during antenatal period			0
Received 1 dose of mebendazole during antenatal period			0
Received 1 ITN* during antenatal period			0

* ITN = Insecticide Treated Net

ANC Indicators	
Proportion of first time ANC visits made before 16 weeks	
Prevalence of syphilis (ANC)	
Ratio of contacts treated : RPR positive cases	
Incidence of complications of abortion	
Proportion of abortion complications among under 18s	
Proportion of ANC visits made by Nationals	

Coverage of complete antenatal care	
Coverage of antenatal tetanus immunisation	
Coverage of int. presumptive treatment for malaria in pregnancy	
Coverage of syphilis screening in pregnancy	
Coverage of deworming in pregnancy	
Coverage of ITN* distribution	

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

9.2 Delivery Care

Number of deliveries	< 18		Total < 18	≥ 18		Total Crude	Nat
	Home	Hlth Fac.		Home	Hlth. Fac.		
Live births			0			0	
Still births			0			0	
Low Birth Weight (< 2500g)			0			0	
Number of newborns weighed within 72 hours			0			0	
Attended by a skilled health worker (excluding TBA)			0			0	
Number of delivery complications managed			0			0	

Delivery Indicators	
Crude birth rate	
Prop. of births attended by skilled hlth worker (excluding TBA)	
Proportion of births among under 18s	
Proportion of deliveries at health centre	
Stillbirth rate	

Proportion of low birth weight deliveries	
Proportion of newborns weighed within 72 hours of birth	
Proportional of live births to Nationals	
Incidence of obstetric complication	
Proportion of obstetric complication among under 18s	

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

9.3 Postnatal Care

Number of mothers	< 18	≥ 18	Total
Attended for 3 postnatal consultations within 6 weeks of delivery			0

Postnatal Indicators	
Coverage of complete postnatal care	

9.4 Family Planning

Family planning method	New Users			Repeat Users			Discontinued			Nat
	< 18	≥ 18	Total	<18	≥ 18	Total	<18	≥ 18	Total	
Combined pill - low dose (<i>Micro-gynon</i> ; <i>Nordette</i>)			0			0			0	
Combined pill - high dose (<i>Lo-femenal</i>)			0			0			0	
Progestogen-only pill (<i>Micro-val</i> ; <i>Micro-lut</i>)			0			0			0	
Emergency Contraceptive Pill (<i>Postinor-2</i>)			0			0			0	
Injectable (<i>Depo-Provera</i>)			0			0			0	
Intra-Uterine Device (IUCD)			0			0			0	
* Condom (Male)			0			0			0	
Condom (Female)			0			0			0	
Sterilisation (Male)			0							
Sterilisation (Female)			0							
Total	0	0	0	0	0	0	0	0	0	0

* Enter number of male condoms distributed in table 10.1

Family Planning Indicators	
Contraceptive Prevalence Rate	
Proportion of family planning users who are under 18	
Proportion of condom users who are under 18	
Proportion of discontinued users who are under 18	
Proportion of all family planning users who are National	

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

9.5 Sexual and Gender-based Violence (SGBV)

	< 18		≥ 18		Total
	Male	Female	Male	Female	
Total no. of rape survivors seen in health centre					0
No. of rape survivors examined within 72 hours					0
No. of rape survivors given ECP within 120 hours*					0
No. of rape survivors given PEP within 72 hours**					0
No. of rape survivors given STI prophylaxis					0
No. of rape survivors returned to health centre for 1st follow-up					0
No. of rape survivors returned to health centre for 2nd follow-up					0
No. cases of trauma in health centre due to domestic violence					0

* ECP = Emergency Contraceptive Pill

** PEP = Post-exposure Prophylaxis for HIV

SGBV Indicators	
Incidence of rape	
Prop. of female rape survivors who receive ECP within 120 hrs	

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

10.0 HIV/AIDS**10.1 Condom Distribution**

Number of condoms distributed	
OPD / STI Clinic	
Family Planning Clinic	
Community Health	
Other	
Total	0

Condom Indicator	
Condom coverage rate	

10.2 Voluntary Counselling and Testing (VCT)

Number of VCT clients	< 18		Total < 18	≥ 18		Total Crude	Nat
	Male	Female		Male	Female		
Pre-test counselled			0			0	
Tested for HIV			0			0	
Tested positive for HIV			0			0	
Post-test counselled			0			0	

VCT Indicators	
VCT Uptake	
Prevalence of HIV (VCT)	
Proportion who received post-test counselling and result	
Proportional VCT service use by Nationals	

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

10.3 PMTCT (Antenatal)

Number of pregnant women	< 18	≥ 18	Total	P'tners	Nat
Number of new antenatal visits this month	0	0	0		0
Pre-test counselled			0		
Tested for HIV			0		
Tested positive for HIV			0		
Post-test counselled			0		
Who accepted to take NVP at 28 weeks			0		

PMTCT Antenatal Indicators	
PMTCT Coverage	
PMTCT Uptake	
Prevalence of HIV (PMTCT)	
Proportion who received post-test counselling and result	
Prevalence of HIV among ANC partners	
Proportion of partners who received post-test counselling and result	
Proportional PMTCT service use by Nationals	

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

10.4 PMTCT (Labour and Delivery)

HIV positive deliveries	< 18		Total < 18	≥ 18		Total Crude	Nat
	Home	Hlth Fac.		Home	Hlth Fac.		
Live births			0			0	
Still births			0			0	
Abortions			0			0	
During which mother swallowed Nevirapine			0			0	
After which newborn was given Nevirapine within 72 hours			0			0	
Number of mother-newborn pairs that received Nevirapine*			0			0	

PMTCT Delivery Indicators	
Proportion of mothers who swallowed Nevirapine during delivery	
Proportion of newborns who were given Nevirapine within 72 hours of birth	
Ratio of mother-newborn pairs that received Nevirapine*: HIV positive livebirths	
Proportion of HIV positive deliveries to Nationals	

* on time, according to national protocol

Health Information System v0.9.30

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

10.5 PMTCT (Post natal)

Number of HIV positive women who:		< 18	≥ 18	Total	Nat
Plan to exclusively breastfeed				0	
Plan to mix feed				0	
Plan to replacement feed				0	
Received at least one HBC visit*				0	
Accepted modern family planning				0	
Number of exits this month:	discharge			0	
	death (neonatal)			0	
	death (< 1 year)			0	
	death (> 1 year)			0	
	default			0	
	transfer out			0	
Infant HIV outcomes	HIV positive at 18 months				

* HBC = Home Based Care

PMTCT Postnatal Indicators	
Proportion of HIV positive women who plan to exclusively breastfeed	
Proportion of HIV positive mothers who received at least one HBC visit	
Proportion of HIV positive women who accepted modern family planning	