

REQUEST FOR QUOTATION: No. PAKIS/RFQ/22/043

PRICE PROPOSAL FORM

Delivery Location: Islamabad/Rawalpindi

Date: _____ (Day/Month/Year Format)

S. No.	Item description	UoM	Qty	Unit Price DAP- PKR	Total Amount PKR	Delivery Time in Days
1	<p><u>Desktop PC</u></p> <ul style="list-style-type: none"> • Generation: 10th to 11th, • Inter Core i3, Processor: Intel Core i5-1135G7 (up to 4.2 GHz with Intel Turbo Boost Technology, 8 MB L3 cache, 4 cores), RAM: 8 GB, • ROM: 01 TB, Monitor: 24" – 27" widescreen flat-panel display, • Keyboard: Full size with numerical keypad, Mouse: Built-in or external trackpad, • wireless and/or USB, 2-button, • optical mouse, Webcam: Built in, • Audio: Built-in audio or soundcard, and speakers, • Warranty: 1 Year Warranty, • Operating System: Microsoft Windows 10 or Windows 11 Home, Pro, Enterprise or Education version 	EA	1			

2	<p>Heavy Duty Photocopier (3 in 1) Color Printer, Scanner & Photocopier</p> <ul style="list-style-type: none"> • Printer Technology: Laser • Pages: 40 to 50 ppm Memory: 2 to 4 GB • Wireless: Yes • 6) Print Resolution: 1200 x 1200 DPI • 7) Trays: 02 					Color ? A4 or A3 size as well
3	<p>DSLR Camera with Good quality Bag & complete Accessories</p> <ul style="list-style-type: none"> • Type: DSLR • Sensor: Full Frame • Megapixels: 26.2 Scree: 3 to 4 Inches • CMOS: Censor UHD 4K • Video: Full HD 1080 Video Recording 	EA	1			
4	<p>SSD Cards Capacity -(256 GB)</p>	EA	15			
5	<p>Audio Video Conference Camera</p> <ul style="list-style-type: none"> • Smooth motorized pan, tilt and zoom controlled from remote or console,10x lossless HD zoom, Field of View • Diagonal: 90°, Horizontal: 82.1°, Vertical: 52.2° • Full HD 1080p 30fps,H.264 UVC 1.5 with Scalable Video Coding (SVC) • Autofocus,5 camera presets 	EA	1			

	<ul style="list-style-type: none"> • Far-end control (PTZ) of Conference Cam product (with supported services), Kensington security slot, Video • mute/unmute LED indicator, Standard tripod thread • Remote Control, Camera, speakerphone, and call control • Docks on speaker phone, IR 28-foot (8.5 m) range • CR2032 battery (included), SPEAKERPHONE • Full-duplex performance, Acoustic echo cancellation • Noise reduction technology, Ultra-wideband audio • Pairs with mobile devices via Bluetooth and NFC • LCD for caller ID, call duration and other functional response • LEDs for speakerphone streaming, mute, hold, and Bluetooth • Tactile buttons for call answer/end, volume and mute, Bluetooth, and camera controls • Microphones, HUB / CABLES / POWER, Central Hub connects and powers all components, Under-table mounting adhesive included One cable to camera: 5 m (16.4 ft), One cable to speakerphone: 5 m (16.4 ft) • Extended cables available: 32.81 and 49.22ft (10and 15 m) • One USB cable for connection to PC/Mac: 6.5 ft (2 m) 					
--	---	--	--	--	--	--

	<ul style="list-style-type: none"> AC Power adapter with regional plugs, Power cable: 9.84 ft (3 m), MOUNT, Dual-purpose bracket works for both wall mounting and tabletop elevation <i>Installation included</i> 					
6	<p>Fire Alarm</p> <ul style="list-style-type: none"> Smoke Sensitivity: 0.08~0.30db/m (EN standard) or 0.98~4%/FT Obscuration (UL standard) Ceiling Spacing: 50-foot rating for heat sensor Reset Voltage: Less than 05 voltage Reset Time: Less than 01 second Alarm Indicator: LED continuously emitting red light Operating Temperature: -20°C to 80°C 7) Storage Temperature: -30°C to 80°C <i>Installation included</i> 	EA	3			
7	<p>Fire Blankets</p> <ul style="list-style-type: none"> Packaging: 1 pc/soft bag Feature: High Temperature Resistance Material: 100% Fibre Glass <p>Thickness: 0.43 mm Weight: 430g/m2 Temperature Resistance: 550 Celsius</p>	EA	5			
8	<p>Fire Extinguishers</p> <ul style="list-style-type: none"> FIRE RATING: 34 A 233 B C EXTINGUISHING AGENT: EPW 18462 (ABC Favourite Tertia) ABC powder - MAP 20 % PROPELLANT: Dehumidified air or N2 ,15 Bar at 20°C 	EA	3			

	<ul style="list-style-type: none"> • TEMPERATURE RANGE: -30°C / +60°C • NOMINAL CHARGE: 6 Kg • FULL WEIGHT ~ 9,4 Kg CYLINDER VOLUME: 7.8 L. • CYLINDER: Alloy steel, deep drawing, with clip, epoxy polyester powder painting, Red Ral 3000. • BRACKET: Wall-mounted for valve, in standard equipment. 					
9	<p>Barbed Wire</p> <ul style="list-style-type: none"> • 340 Ft (5-10% margin in measurement) 3 Sides walls covered • Razor Wire Barbed wire • Rust Free • Thickness: 0.50mm +/- 0.05mm • Wire diameter: 2.5mm +/- 0.05mm Bars length: 65mm +/- 1mm • Bars width: 21mm + / - 1mm. • 340 Ft (5-10% margin in measurement) 3 Sides walls covered • Razor Wire Barbed wire • Rust Free • Thickness: 0.50mm +/- 0.05mm • Wire diameter: 2.5mm +/- 0.05mm • Bars length: 65mm +/- 1mm • Bars width: 21mm + / - 1mm. 	RFT	340			
10	<p>CCTV Cameras</p> <ul style="list-style-type: none"> • Category : CCTV 2 MP Colour Type :True Day / Night Resolution: TVL 3 MP Digital (DSP) Yes 	EA	5			

	<p>Sensitivity lux 0.01 lux Electrical Specifications Voltage: 12 V DC</p> <ul style="list-style-type: none"> • Power Consumption: 5 W • Focal Length mm: 2.8 ~ 6 • Picture Elements: HxV 2052 x 1536 • Back Light Compensation :Yes • White Balance :Yes Synchronisation: • Dimension mm: 87 x 82 x 226 • Weight g: 680 Additional info • 3 Megapixel high-performance CMOS • Analogue HD output, up to 3MP resolution • True Day/Night • OSD menu, DNR, Smart IR • EXIR technology, up to 20/40/80m IR distance • IP66 weatherproof • <i>Installation included</i> 					
11	<p>NVR (32 Channel) for additional Cameras</p> <ul style="list-style-type: none"> • IP Video Input Decoding Capacity: • 2-ch @ 8 MP (25fps) / 4-ch @ 4MP (30fps) / 8-ch @ 1080p (30fps) Video Output: HDMI/VGA Output • HDMI Video output at up to 4K (3840 × 2160) resolution • Interface: • 4 SATA interface connectable for recording and backup • 2 RJ-45 10/100/1000 Mbps Ethernet interfaces 	EA	1			

	<ul style="list-style-type: none"> Alarm In/Out: 16/4 Supports H.265+/H.265/H.264+/H.264 Video formats Resolution: Live view, storage, and playback of the connected camera at up to 8MP resolution Bandwidth: Incoming bandwidth: 256 Mbps Outgoing bandwidth: 160 Mbps 					
12	<p>2 TB Hard Drive (for storage of CCTV data) + 600 ft Cabling + POE Switch</p> <ul style="list-style-type: none"> POE Switch: 16-Port 10/100/1000Mbps 802.3at PoE Switch Form Hard Drive Storage Type: Disk Drive. Capacity: 2TB. Internal 3.5" Rotational Speed: 7200 RPM. Connectivity Type: SATA 600. Sustained Transfer Rate: 220MB/s. Cache Size: 256MB. Power: Internal Cable cat5e / cat6 Ethernet cable 	EA	1			
13	<p>Inverter Air Conditioner (1.5 ton)</p> <ul style="list-style-type: none"> Heat & Cool Air Conditioner 18000 BTU Capacity Auto Voltage Adoption 120V-260V Low Voltage Adoption 120V R410A ECO Friendly Refrigerant 60% Electricity Saving 	EA	6			

	<ul style="list-style-type: none"> • Wall Mounted • Energy Efficiency Ratio (EER) 3.6 Heating • Output Capacity (W) (H/S/L) 6600/5750/1450 • Power Input (W) (H/S/L) 2100/1520/390 • <i>Installation included</i> 					
14	<p>Vacuum Cleaner</p> <ul style="list-style-type: none"> • Weight: 10 to 15 lbs • Suction Control: Rotary Dial • Power: 1000W to 1500W • Standard Filter: Air Clean • Standard Floor Tool: SBD 285-e, Combination Rug & Floor Tool Handle: XXL Handle, • Wand: Side Adjustable Stainless Steel Telescopic • Dusting Brush: Yes, Synthetic • Upholstery Nozzle: Yes • Crevice Tool: Yes • Operating Radius: 29.5 • Dustbin Change Indicator: Yes • Overheating Lamp: Yes • Safety Shut off: Yes • Warranty: Minimum 01 Year 	EA	1			
15	<p>Water Dispenser</p> <ul style="list-style-type: none"> • Taps of Cold and Hot Water • 4 to 5 Litres Capacity • 20 to 35 Litres Capacity • Free standing unit with 16 Litre Fridge 	EA	2			

	<ul style="list-style-type: none"> • Rust Free and Antibacterial feature • Stainless Steel Material White, Red or Silver Colour • Voltage: 220-240 V Colling Current: 1.0A 					
16	<p>Guitar (Musical Instrument)</p> <ul style="list-style-type: none"> • Material: Solid Rosewood • Length: 1,000 to 1,000 mm • Width: 350 to 450 mm • Sting Spacing: 11 mm • Top Material: Solid Sitka Spruce A.R.E. w/Scalloped Bracing • Body Finish: Gloss • Stings: Elixir NANOWEB 80/20 Bronze Light • Accessories: Hex Wrench, Sound hole Cover 	EA	4			
17	<p>Rabab (Musical Instrument)</p> <ul style="list-style-type: none"> • Material: Dried Wooden preferably mulberry / • Lenght28-inch • Colour: Deodar/Diyar Colour • proper goat skin weight up to 2-KG • Strings: Natural Gut Strings/proper polishing/ 	EA	3			
18	<p>Harmonium (Musical Instrument)</p> <ul style="list-style-type: none"> • Length of Scale: 02 to 04 octaves (20 to 45 keys) • Exterior: Wooden made • Weight: 15 to 25 lbs • Scale Changer: Yes • Harms (Vocals): Good Quality 	EA	1			

**UNHCR**United Nations High Commissioner for Refugees
Haut Commissariat des Nations Unies pour les réfugiés**ANNEX-C**

	<i>Additional charges if any (Please specify)</i>	
	Total Cost for goods (all inclusive) PKR-	

Other information pertaining to our quotation are as follows, please tick the box as appropriate	Yes	No
Brand Model/Brochures/Images of items attached with bid		
Acceptance of UNHCR general terms and conditions Annex B		
Offer Validity: (90 calendar days minimum)		
Acceptance of goods and services to be provided as per UNHCR specifications / requirements		
Minimum Warranty of items 12 months from date of delivery		

Bidder / Company Name Sign and Stamp: _____