

Health Information System v0.9.40

Monthly Reporting Form

1.1 General Information

Name of Organisation	<input type="button" value="Select Name"/>	Current Month	<input type="button" value="Select Month"/>
Name of Camp	<input type="button" value="Select Camp"/>	Current Year	<input type="button" value="Select Year"/>

1.2 Population

Age	Male	Female	Total	% estimate
Total Population			0	
Number of live births			0	
Number of infants < 1 year			0	
Number of children < 5 years			0	
Number of females 15 - 49 years		0		20
Number of pregnant and lactating		0		6

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

2.0 Mortality

2.1 Mortality by Age

Age	Refugee				Total Crude	National		Total Crude
	< 1	≥ 1 to < 5	Total < 5	≥ 5		< 5	≥ 5	
Male			0		0			0
Female			0		0			0
Total	0	0	0	0	0	0	0	0

2.2 Mortality by Cause

Cause	Refugee						Total Crude	Crude % Mort.	National		Total Crude
	Male	< 5	Female	Total < 5	U5 % Mort.	≥ 5	Male	Female	< 5	≥ 5	
1. Malaria (confirmed)				0					0		0
2. LRTI				0					0		0
3. Watery diarrhoea				0					0		0
4. Bloody diarrhoea				0					0		0
5. Tuberculosis				0					0		0
6. Measles				0					0		0
7. Meningitis				0					0		0
8. AIDS				0					0		0
9. Maternal death				0					0		0
10. Neonatal death				0					0		0
11. Acute malnutrition				0					0		0
12.				0					0		0
13.				0					0		0
14.				0					0		0
15.				0					0		0
16. Other				0					0		0
Total	0	0	0	0		0	0	0	0	0	0

Mortality Indicators	Male	Female	Total
Crude Mortality Rate (CMR)			
Under 5 Mortality Rate (U5MR)			
Infant Mortality Rate (IMR)			
Neonatal Mortality Rate (NNMR)			
Maternal Mortality Ratio (MMR)			

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

3.0 Morbidity

3.1 Consultation

Type	Refugee		Nat	Total
	M	F		
New Visits				0
Revisits				0
Total	0	0	0	0

Consultation Indicators

Number of full-time trained clinicians	
Number of full days OPD functioning	
Health facility utilisation rate	
Consultations per clinician per day	
Proportion of consultations to Nationals	

3.2 Morbidity

Diagnosis	Refugee			National			Total Crude			
	M	F	Total < 5	U5 Incid.	U5 % Morb.	M	F	< 5	≥ 5	
1. * Malaria (suspected)			0					0		0
2. * Malaria (confirmed)			0					0		0
3. URTI			0					0		0
4. LRTI			0					0		0
5. Skin disease			0					0		0
6. Eye Disease			0					0		0
7. Intestinal worms			0					0		0
8. * Watery diarrhoea			0					0		0
9. * Bloody diarrhoea			0					0		0
10. Tuberculosis			0					0		0
11. Leprosy			0					0		0
12. * Acute Flaccid Paralysis / Polio			0					0		0
13. * Measles			0					0		0
14. * Meningitis			0					0		0
15. HIV/AIDS			0					0		0
16. ** STI (non-HIV/AIDS)			0					0		0
17. Acute malnutrition			0					0		0
18. Anaemia			0					0		0
19. *** Injuries			0					0		0
20. Dental			0					0		0
21. Mental illness			0					0		0
22.			0					0		0
23.			0					0		0
24.			0					0		0
25.			0					0		0
26.			0					0		0
27. Other			0					0		0
Total	0	0	0			0	0	0	0	0

* Disease with outbreak potential. Refer to weekly alert thresholds

** Also enter information on syndromic diagnosis; < 18 / ≥ 18 age group; and treatment of contacts in STI table 3.4

*** Includes SGBV. Ensure incident report form has been completed each case

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**3.3 Outbreak Alert and Response**

Number of outbreaks reported	
Number of reported outbreaks investigated < 48 hours	
Prop of reported outbreaks investigated < 48 hours****	

**** Attach outbreak investigation report(s)

3.4 Sexually Transmitted Infection (STI)

Syndromic Diagnosis	< 18		Total < 18		≥ 18		Total Crude	C'tact treatd	Nat
	M	F	M	F	M	F			
Urethral Discharge Syndrome (UDS)			0				0		
Vaginal Discharge Syndrome (VDS)			0				0		
Genital Ulcer Disease (GUD)			0				0		
Pelvic Inflammatory Disease (PID)			0				0		
Ophthalmia Neonatorum			0				0		
Congenital syphilis			0				0		
Others			0				0		
Total	0	0	0	0	0	0	0	0	0

STI Indicators
Incidence of male Urethral Discharge Syndrome (UDS)
Incidence of Genital Ulcer Disease (GUD)
Proportion of syndromic STI cases among under 18s
Proportion of syndromic STI cases among Nationals
Ratio of contacts treated : syndromic STI cases

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**4.0 In-patient Department and Referral****4.1 In-patient Department Activities**

		Refugee			National		
		< 5	≥ 5	Total	< 5	≥ 5	Total
Number of patients in ward at beginning of month				0			0
Number of admissions this month				0			0
Number of discharges	<i>authorized</i>			0			0
	<i>unauthorised</i>			0			0
	<i>death</i>			0			0
	<i>referral</i>			0			0
Total discharged		0	0	0	0	0	0
Deaths within 24 hours				0			0
Number of patients in ward at end of month		0	0	0	0	0	0

IPD Indicators

Number of days in reporting period
Number of beds
Sum number of days stay for authorized discharges
Proportion of under five IPD deaths within 24 hours
Average length of stay
Bed occupancy
Hospitalisation rate
Proportion of admissions to Nationals

4.2 In-patient Admissions and Deaths

Diagnosis	Refugee		National		Crude CFR	Adm.	< 5 Deaths	Adm.	≥ 5 Deaths	Total Adm.	Total Deaths
	< 5 Adm.	Deaths	Adm.	Deaths							
1. Malaria (confirmed)					0	0				0	0
2. LRTI					0	0				0	0
3. Watery diarrhoea					0	0				0	0
4. Bloody diarrhoea					0	0				0	0
5. Tuberculosis					0	0				0	0
6. Measles					0	0				0	0
7. Meningitis					0	0				0	0
8. AIDS					0	0				0	0
9. Acute malnutrition					0	0				0	0
10.					0	0				0	0
11.					0	0				0	0
12.					0	0				0	0
13. Other					0	0				0	0
Total	0	0	0	0	0	0	0	0	0	0	0

Adm. = Admission; CFR = Case Fatality Rate

4.3 Referral

Location	Emerg.	Dist.	Reg.	Zonal	Nat.	Other	Total
Obstetrics / Gynaecology							0
Surgery							0
Pediatrics							0
Internal medicine							0
Blood transfusion							0
Other							0
Total Referrals	0	0	0	0	0	0	0
Referral rate							

Emerg. = Emergency Unit; Dist. = District Hospital; Reg. = Regional Hospital; Nat. = National Hospital

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**5.0 Laboratory****5.1 Malaria**

Number of malaria slides examined	
Number of malaria slides positive	

Malaria Indicator
Malaria slide positivity rate

5.2**Tuberculosis**

Number of smears examined for AFB	
Number of smears positive for AFB	
Number of new smear-positive patients	

Tuberculosis Indicator
Sputum smear-positivity rate

5.3 Blood Donation

	Refugee		Total	National		Total
	Male	Female		Male	Female	
Number tested for HIV			0			0
Number tested positive for HIV			0			0

Blood Donation Indicator
Prevalence of HIV in blood donors

5.4 RPR Testing (OPD)

	Refugee		Total	National		Total
	Male	Female		Male	Female	
Number tested for RPR			0			0
Number tested positive for RPR			0			0
Number of RPR positive contacts tested			0			0

RPR Indicators
Prevalence of syphilis (OPD)
Prevalence of syphilis among Nationals (OPD)
Ratio of contacts tested : RPR positive cases

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**6.0 Disease Control****6.1 Tuberculosis Program**

		< 5		≥ 5		Total
		Male	Female	Male	Female	
Number of patients under treatment at beginning of month						0
Number of new TB cases in program						0
Number of discharges	<i>treatment success</i>					0
	<i>treatment failure</i>					0
	<i>death</i>					0
	<i>default</i>					0
	<i>transfer out</i>					0
Number of patients under treatment at end of month	0	0	0	0	0	0

6.2 Leprosy Program

		< 5		≥ 5		Total
		Male	Female	Male	Female	
Number of patients under treatment at beginning of month						0
Number of new Leprosy cases in program						0
Number of discharges	<i>treatment success</i>					0
	<i>treatment failure</i>					0
	<i>death</i>					0
	<i>default</i>					0
	<i>transfer out</i>					0
Number of patients under treatment at end of month	0	0	0	0	0	0

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**7.0 EPI and Vitamin A****7.1 Children Vaccinated**

Doses administered	Refugee		Total	Nat
	< 1	≥ 1 to < 5		
BCG			0	
Polio 0			0	
Polio I			0	
Polio II			0	
Polio III			0	
DPT I			0	
DPT II			0	
DPT III			0	
Measles			0	
Fully Vaccinated			0	

EPI Indicators

Target Population for the month	0
Program dropout rate	
Vaccine coverage rate	BCG
	Polio
	DPT
	Measles
	Fully Vacc.

7.2 Vaccine Wastage

Vaccine	No. of doses supplied	No. of doses administered
BCG		0
Polio		0
DPT		0
Measles		0
Tetanus Toxoid		0

Vaccine wastage rate

BCG	
Polio	
DPT	
Measles	
Tetanus Toxoid	

7.3 Vitamin A distribution

Doses distributed	Refugee	Nat	Total
Post natal			0
Dose 1			0
Dose 2			0
Dose 3			0
Dose 4 + above			0

Vitamin A indicator

Coverage of postnatal Vitamin A distribution	
--	--

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**7.4 Tetanus Toxoid utilisation**

Doses administered	Refugee			Nat	Total
	Pregnant	Non-Preg.	Other		
TT 1					0
TT 2					0
TT 3					0
TT 4					0
TT 5					0

7.5 Growth Monitoring

Number of children screened	< 1	≥ 1 to < 5	Total	Nat
Weight for age > 80%			0	
Weight for age 60 - 80%			0	
Weight for age < 60%			0	
Oedema			0	
Total screened	0	0	0	0

Growth Monitoring Indicator
Coverage of Growth Monitoring

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

8.0 Nutrition

8.1 Supplementary Feeding Program

		Refugee						National						SFP TOTAL		
		< 5		≥ 5		Total	Preg.	Lact.	< 5		≥ 5		Total	Preg.	Lact.	
Number at beginning of month	WFH <80% or <-2 ZS	M	F	M	F				M	F	M	F				
	Other					0							0			0
Number of new admissions	1. WFH <80% or <-2 ZS					0							0			0
	2.					0							0			0
	3.					0							0			0
	4.					0							0			0
	5. TFP Referral					0							0			0
	6. Other					0							0			0
Number of re-admissions	WFH <80% or <-2 ZS					0							0			0
	Other					0							0			0
Total admissions	WFH <80% or <-2 ZS	0	0	0	0	0			0	0	0	0	0			0
	Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number of exits (< -2 WFH Z-score)	discharge					0							0			0
	death					0							0			0
	default					0							0			0
	referral					0							0			0
Number of exits (Other)	discharge					0							0			0
	death					0							0			0
	default					0							0			0
	referral					0							0			0
Total exits	WFH <80% or <-2 ZS	0	0	0	0	0			0	0	0	0	0			0
	Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number at end of month	WFH <80% or <-2 ZS	0	0	0	0	0			0	0	0	0	0			0
	Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**Supplementary Feeding Program (SFP) Indicators****WFH <80% or <-2 ZS**

Sum no. of days stay for discharged children (<5)	
Mean length of stay (< 5)	

Performance Indicators (< 5)	Ref	Nat
Recovery rate		
Death rate		
Default rate		

Coverage

Moderate Acute Malnutrition Rate (%)	
Target Population for SFP (<5)	0
Coverage of SFP (< 5)	
Coverage of SFP (Preg. and Lact.)	

Proportion of new admissions due to 'Other'	
Prop. of new moderate maln. cases who are girls < 5	
Prop. of all beneficiaries who are National	

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year

8.2 Therapeutic Feeding Program

		Refugee				National				TFP TOTAL						
		< 5		≥ 5		M		F		M		F		Total		
Number at beginning of month	WFH <70% or <-3 ZS					M		F		M		F		0	0	
	Kwashiorkor					M		F		M		F		0	0	
	Other					M		F		M		F		0	0	
Number of new admissions	WFH <70% or <-3 ZS					M		F		M		F		0	0	
	Kwashiorkor					M		F		M		F		0	0	
	Other					M		F		M		F		0	0	
Number of re-admissions	WFH <70% or <-3 ZS					M		F		M		F		0	0	
	Kwashiorkor					M		F		M		F		0	0	
	Other					M		F		M		F		0	0	
Total admissions	WFH <70% or <-3 ZS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Kwashiorkor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number of exits (WFH <70% or <-3 ZS)	discharge					M		F		M		F		0	0	
	death					M		F		M		F		0	0	
	default					M		F		M		F		0	0	
	referral					M		F		M		F		0	0	
Number of exits (Kwashiorkor)	discharge					M		F		M		F		0	0	
	death					M		F		M		F		0	0	
	default					M		F		M		F		0	0	
	referral					M		F		M		F		0	0	
Number of exits (Other)	discharge					M		F		M		F		0	0	
	death					M		F		M		F		0	0	
	default					M		F		M		F		0	0	
	referral					M		F		M		F		0	0	
Total exits	WFH <70% or <-3 ZS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Kwashiorkor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number at end of month	WFH <70% or <-3 ZS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Kwashiorkor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**Therapeutic Feeding Program (TFP) Indicators****WFH <70% or <-3 ZS**

Sum no. of days stay for discharged children (<5)	
Sum average wt. gain for discharged children (<5)	
Mean length of stay (< 5)	
Average weight gain (g / kg / day)	

Performance Indicators (< 5)	Ref	Nat
Recovery rate		
Death rate		
Default rate		

Kwashiorkor

Sum no. of days stay for discharged children (<5)	
Sum average wt. gain for discharged children (<5)	
Mean length of stay (< 5)	
Average weight gain (g / kg / day)	

Performance Indicators (< 5)	Ref	Nat
Recovery rate		
Death rate		
Default rate		

Coverage

Severe Acute Malnutrition Rate (%)	
Target Population for TFP (<5)	0
Coverage of TFP (< 5)	

Proportion of new admissions to Kwashiorkor	
Proportion of new admissions due to 'Other'	
Prop. of new severe maln. cases who are girls < 5	
Prop. of all beneficiaries who are National	

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**9.0 Reproductive Health****9.1 Antenatal Care**

Number of antenatal visits	< 18	≥ 18	Total	Nat
First antenatal visit < 16 weeks			0	
First antenatal visit > 16 weeks			0	
Repeat antenatal visit			0	
Number of RPR tests conducted			0	
Number of RPR tests positive			0	
Number of contacts of RPR positive cases treated				
Number of high-risk pregnancies detected			0	
Treated for complications of abortion			0	

Number of pregnant women at time of delivery who:	< 18	≥ 18	Total
Received 3 or more antenatal visits			0
Received 2 doses of tetanus toxoid during antenatal period			0
Received at least 2 doses of fansidar during antenatal period			0
Were screened for syphilis during antenatal period			0
Received 1 dose of mebendazole during antenatal period			0
Received 1 ITN* during antenatal period			0

* ITN = Insecticide Treated Net

ANC Indicators

Proportion of first time ANC visits made before 16 weeks	
Prevalence of syphilis (ANC)	
Ratio of contacts treated : RPR positive cases	
Incidence of complications of abortion	
Proportion of abortion complications among under 18s	
Proportion of ANC visits made by Nationals	

Coverage of complete antenatal care	
Coverage of antenatal tetanus immunisation	
Coverage of int. presumptive treatment for malaria in pregnancy	
Coverage of syphilis screening in pregnancy	
Coverage of deworming in pregnancy	
Coverage of ITN* distribution	

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**9.2 Delivery Care**

Number of deliveries	< 18		Total < 18	≥ 18		Total Crude	Nat
	Home	Hlth Fac.		Home	Hlth. Fac.		
Live births			0			0	
Still births			0			0	
Low Birth Weight (< 2500g)			0			0	
Number of newborns weighed within 72 hours			0			0	
Attended by a skilled health worker (excluding TBA)			0			0	
Number of delivery complications managed			0			0	

Delivery Indicators

Crude birth rate

Proportion of low birth weight deliveries

Prop. of births attended by skilled hlhs worker (excluding TBA)

Proportion of newborns weighed within 72 hours of birth

Proportion of births among under 18s

Proportional of live births to Nationals

Proportion of deliveries at health centre

Incidence of obstetric complication

Stillbirth rate

Proportion of obstetric complication among under 18s

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**9.3 Postnatal Care**

Number of mothers	< 18	≥ 18	Total
Attended for 3 postnatal consultations within 6 weeks of delivery			0

Postnatal Indicators
Coverage of complete postnatal care

9.4 Family Planning

Family planning method	New Users			Repeat Users			Discontinued			Nat
	< 18	≥ 18	Total	<18	≥ 18	Total	<18	≥ 18	Total	
Combined pill - low dose (<i>Micro-gynon; Nordette</i>)			0			0			0	
Combined pill - high dose (<i>Lo-femenal</i>)			0			0			0	
Progestogen-only pill (<i>Micro-val; Micro-lut</i>)			0			0			0	
Emergency Contraceptive Pill (<i>Postinor-2</i>)			0			0			0	
Injectable (<i>Depo-Provera</i>)			0			0			0	
Intra-Uterine Device (IUCD)			0			0			0	
* Condom (Male)			0			0			0	
Condom (Female)			0			0			0	
Sterilisation (Male)			0			0			0	
Sterilisation (Female)			0			0			0	
Other			0			0			0	
Total	0	0	0	0	0	0	0	0	0	

* Enter number of male condoms distributed in table 10.1

Family Planning Indicators
Contraceptive Prevalence Rate
Proportion of family planning users who are under 18
Proportion of new condom users who are under 18
Proportion of discontinued users who are under 18
Proportion of all family planning users who are National

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**9.5 Sexual and Gender-based Violence (SGBV)**

	< 18		≥ 18		Total
	Male	Female	Male	Female	
Total no. of rape survivors seen in health centre					0
No. of rape survivors examined within 72 hours					0
No. of rape survivors given ECP within 120 hours*					0
No. of rape survivors given PEP within 72 hours**					0
No. of rape survivors given STI prophylaxis					0
No. of rape survivors returned to health centre for 1st follow-up					0
No. of rape survivors returned to health centre for 2nd follow-up					0
No. cases of trauma in health centre due to domestic violence					0

* ECP = Emergency Contraceptive Pill

** PEP = Post-exposure Prophylaxis for HIV

SGBV Indicators

Reporting of rape

Prop. of female rape survivors who receive ECP within 120 hrs

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**10.0 HIV/AIDS****10.1 Condom Distribution**

Number of condoms distributed	
OPD / STI Clinic	
Family Planning Clinic	
Community Health	
Other	
Total	0

Condom Indicator	
Condom coverage rate	

10.2 Voluntary Counselling and Testing (VCT)

Number of VCT clients	< 18		Total < 18	≥ 18		Total Crude	Nat
	Male	Female		Male	Female		
Pre-test counselled			0			0	
Tested for HIV			0			0	
Tested positive for HIV			0			0	
Post-test counselled			0			0	

VCT Indicators
VCT Uptake
Prevalence of HIV (VCT)
Proportion who received post-test counselling and result
Proportional VCT service use by Nationals

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**10.3 PMTCT (Antenatal)**

Number of pregnant women	< 18	≥ 18	Total	P'tners	Nat
Number of new antenatal visits this month	0	0	0		0
Pre-test counselled			0		
Tested for HIV			0		
Tested positive for HIV			0		
Post-test counselled			0		
Who accepted to take NVP at 28 weeks			0		

PMTCT Antenatal Indicators

PMTCT Coverage

PMTCT Uptake

Prevalence of HIV (PMTCT)

Proportion who received post-test counselling and result

Prevalence of HIV among ANC partners

Proportion of partners who received post-test counselling and result

Proportional PMTCT service use by Nationals

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**10.4 PMTCT (Labour and Delivery)**

HIV positive deliveries	< 18		Total < 18	≥ 18		Total Crude	Nat
	Home	Hlth Fac.		Home	Hlth Fac.		
Live births			0			0	
Still births			0			0	
Abortions			0			0	
During which mother swallowed Nevirapine			0			0	
After which newborn was given Nevirapine within 72 hours			0			0	
Number of mother-newborn pairs that received Nevirapine*			0			0	

PMTCT Delivery Indicators

Proportion of mothers who swallowed Nevirapine during delivery

Proportion of newborns who were given Nevirapine within 72 hours of birth

Ratio of mother-newborn pairs that received Nevirapine*: HIV positive livebirths

Proportion of HIV positive deliveries to Nationals

** on time, according to national protocol*

Health Information System v0.9.40

Monthly Reporting Form

Name of Organisation

Select Name

Current Month

Select Month

Name of Camp

Select Camp

Current Year

Select Year**10.5 PMTCT (Post natal)**

Number of HIV positive women who:	< 18	≥ 18	Total	Nat
Plan to exclusively breastfeed			0	
Plan to mix feed			0	
Plan to replacement feed			0	
Received at least one HBC visit*			0	
Accepted modern family planning			0	
Number of exits this month:	discharge		0	
	death (neonatal)		0	
	death (< 1 year)		0	
	death (> 1 year)		0	
	default		0	
	transfer out		0	
Infant HIV outcomes	HIV positive at 18 months			

* HBC = Home Based Care

PMTCT Postnatal Indicators

Proportion of HIV positive women who plan to exclusively breastfeed

Proportion of HIV positive mothers who received at least one HBC visit

Proportion of HIV positive women who accepted modern family planning