Health Information System

Organisation:

Reproductive Health 9.0

Location:

Emergency Reporting Pad

For use in emergency settings



Health Information System Organisation: _____ **Emergency Reporting Form** Location: Reporting period: 9.0 **Reproductive Health** 9.1 Antenatal Care Total 9.1a First antenatal visit Repeat antenatal visit Number tested for syphilis Number tested positive for syphilis Number of abortions 9.1b Enter number of pregnant women Total at time of delivery who: Received 4 or more antenatal visits Received 2 doses of tetanus toxioid during antenatal period Received at least 2 doses of fansidar during antenatal period Were screened for syphilis during antenatal period 9.2 Delivery Care Health Home Facility Live births Still births Low Birth Weight (< 2500g) Attended by a skilled health worker* Number of obstetric complications treated

Number of caesarean sections performed

^{*} excluding TBA

9.3 Postnatal Care

	Total	
Attended for 3 postnatal visits within 6 weeks of delivery		

9.	9.5 Sexual and Gender Based Violence (SGBV)		Total	
		Male	Female	
	No. of rape survivors examined within 72 hours*			
	No. of rape survivors examined within 72 - 120 hours*			
	No. of rape survivors examined within 120 hours - 2 weeks*			
	No. of rape survivors examined after 2 weeks*			
	No. rape survivors given PEP** within 72 hrs			
	No. female rape survivors given ECP*** within 120 hrs			
	No. rape survivors given STI presumptive treatment < 2 wks			
	No. cases of trauma seen due to domestic violence			

^{*} of an incident occuring; ** PEP = Post Exposure Prophylaxis; *** ECP = Emergency Contraceptive Pill